You may use the information and images contained in this document for non-commercial, personal, or educational purposes only, provided that you (1) do not modify such information and (2) include proper citation. If material is used for other purposes, you must obtain written permission from the author(s) to use the copyrighted material prior to its use.





GALVESTON BAY DOLPHIN RESEARCH AND CONSERVATION PROGRAM

NMFS Permit# 18881

Why?




Conservation Tool

- Long lived Mammals
- Top predators
- Resident populations show high levels of site fidelity
- Affected by a variety of environmental stressors and act as bioindicators
- Ideal sentinels for Bays and Estuaries
 - nodeling
- Strategic stocks are to be maintained as a "significant functioning element of the ecosystem"



Goals of the GDRCP

 Implement a long-term monitoring program



3. Study human-dolphin interactions and their impact

4. Raise awareness about GB dolphins and their habitats



NMFS Permit # 18881







Current catalog of almost 700 unique individuals


What can we learn from Visual Surveys?


- Distribution
- Abundance
- Site Fidelity
- Survival Rates
- Habitat Utilization
- Behavioral Activities
- Social Structure
- Fecundity
- Foraging Strategies
- Human Interactions
- Visual Health Indicators



Remote Biopsy Darting







What can we learn from Biopsy Samples?

>50 samples currently undergoing or awaiting analyses

- Genetics Population Structure
- Sex
- Stable Isotopes Foraging*
- Persistant Organic Pollutants (POPS)
 PCB's, Dioxins
- Heavy Metals
- Toxicology and Gene Expression
- Hormones Pregnancy and Stress

*POSTER → McDaniel, S. "Foraging Ecology of Bottlenose Dolphins (Tursiops truncatus) in Galveston Bay."



BASELINE DATA HEALTH INDRESTORS

Vital for understanding the effects of future environments disturbance

Dolphin Population Management




Ecosystem Management Public Engagement

Oiled dolphin, Barataria Bay, LA, 2010

Results

- Monthly photo-id surveys of primary study area in upper Galveston Bay since 2015 (preliminary surveys 2013-2014)
- Coverage of nearshore, open bay and deep channel habitats
- Opportunistic and biopsy focused surveys of other Galveston Bay waters inshore of the ICW



Seasonal changes in distribution Upper Galveston Bay encounter rates (# doiphins / km surveyed)



Levels of human-dolphin interactions are high



Potential health consequences from freshwater influx

 Skin lesions = "hydropic degeneration" of the epidermis; may be accompanied by opportunistic fungal or algal growth


- Potential for:
 - Secondary infection
 - Electrolyte imbalance
 - Corneal edema
 - Mortality
- Long-term effects?




Hurricane Harvey

Low Salinity Event (LSE)

- Large influx of freshwater
- PHILAPPOCA TO THE PROPERTY OF Toxic contaminants, bacteria and notifients in run-off







HURRICANE HARVEY

Effects

Temporary change in distribution/habitat use






HURRICANE HARVEY Effects

Skin lesions

Minimum Prevalence = proportion of identified individuals that exhibited visible lesions

Extent = percentage of each individual's





Lesion extent and healing

- Age Class
- Immunity
- Range Patterns
- Access to higher salinity









Questions?





Galveston Bay Dolphin Research and Conservation Program

NMFS Permit #18881

www.ubcl.edu/environmental-institute

links to

Adopt-a-dolphin











